


STANKOVA, J.


"Contribution to the Study of the Manufacture of Straps in Preweaving Days", P. 31, (CESKY LID, Vol. 40, No. 1, Feb. 1953, Praha, Czechoslovakia)


SO: Monthly List of East European Accessions, (NEAL), IC, Vol. 3, No. 12, Dec. 1954, Uncl.











CZECHOSLOVAEIA

BARTUS E. M. STANKOVA. O.

Institute of Analytical Chemistry of Turkyne University, Brno (for both)

Prome, Collection of Czec Collevek Chemical Communications, o 1, 1005, p 3415-3425

"Gorn lexes of Granyl with Phonol Ligands II. Fotentiometric Xamination of Complexes of Cymocatechin-5-Oulphonic Acid and Pyrocatechin-3,5-Disulphonic Acid."

STANKLIH, S.M

AUTHOR: TITLE:

FAYMBERG, S. TR., TEXAGE AH, A.A., STARKOVA, S.M. 32-6-2/54 Analysis of the Slags of Copper- and Lead Meltings. (Analiz shlakov

mednoy i svintsovoy plavok, Russian)

PERIODICAL:

Zavodskaya Laboratoriya. 1957. Vol 23, Nr 6, pp 647-652 (U.S.S.R.)

ABSTRACT:

In this paper an accelerated form of analysis is recommended which makes it possible to obtain results of undiminished accuracy by employing photocolorimetrical methods. For this purpose it is recommended to melt a slag binding in an iron vat with an addition of alkali and, in the solution obtained, to carry out photocalorimetric investigations to determine the content of aluminum oxide, silicon dioxide, magnium oxide, and the volume ratic of calcium oxide. It is thus possible, by the addition of metal alkali fluorides, in individual slag amounts decomposed by the action of acid, to determine the content of iron, copper, lead, and zinc according to known methods. For the colorimetric determination of aluminum a reagent recommended by V.I.KUZNYEZOV in 1950 is suggested, which results in pinkish-red color in the case of pH = 5,2 - 5,6. For the determination of magnium oxide colorimetric treatment with titanium iron is recommended, in which case it is, however, necessary first to eliminate disturbing elements from the solution.

For the determination of calcium oxide a method developed by A.M.DYMOV

and Mme. E.T. ROZHKOVA is recommended, which is based upon the

Card 1/2

SOV/137-58-8-18158

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 8, p 279 (USSR)

AUTHORS: Faynberg, S. Yu., Blyakhman, A.A., Stankova, S.M.

TITLE: Analysis of the Dusts of the Lead, Copper, and Zinc Industries

(Analiz pyley svintsovogo, mednogo i tsinkovogo proizvodstva)

PERIODICAL: Sb. nauchn. tr. Gos. n.-i. in-t tsvetn. met., 1958, Nr 14,

pp 29~50

ABSTRACT: The analysis of dusts is begun with the determination of As

and Sb, after which Sn, Se, Te, and Mo are determined. At an Sb contents of < 0.5% the colorimetric method is used with the violet crystalline [filter (?); Transl. Ed. Note], or the iodide method after precipitation of Sb on copper foil. When the Sb contents is > 0.5%, the volumetric bromatometric method is used. In determining Sn, the As is first distilled off in the form of the trichloride, Sb is precipitated with H₂S, then Sn is precipitated together with Fe hydroxide by ammonium. The residue is fused in an iron crucible with a mixture of Na₂O₂ and NaOH, and the determination of Sn is completed by the indometric method. Se is separated from Te. Au. and other

iodometric method. Se is separated from Te, Au, and other elements by distillation in the form of tetrabromide which is

Card 1/2

SOV/137-58-8-18158

Analysis of the Dusts of the Lead, Copper, and Zinc Industries

collected in water where it is decomposed with the formation of selenious and hydrobromic acids. The amount of Se in the distillate is determined iodometrically. Te is reduced with SnCl2 in the solution remaining in the distillation tlask after the distillation of Se. The determination of Te is completed iodimetrically. The determination of Mo is carried out colorimetrically with NH₄SCN and thiourea in the presence of > 10 mg of Cu, if there is up to 1 mg of Se and up to 0.25 mg of Te. Otherwise Mo is separated from Se and Te by sulfur dioxide or by sintering with a mixture of Na₂CO₃ and ZnO. Ni is determined colorimetrically upon preliminary concentration by precipitation with solid dimethylglyoxime (I). The test sample is decomposed by acids with the addition of an alkaline-metal fluoride, the solution is evaporated with H2SO4 and after dilution the insoluble residue and the Pb sulfate are filtered off. The mineral acid is neutralized and Ni is precipitated from the acetic-acid medium with solid I. After prolonged settling the precipitate is filtered off, the I is decomposed with HCl and H2SO4, and in the resulting solution the Ni is determined photocolorimetrically. C is determined by burning in a current of O_2 .

1. Particles (Airborne) - Colorimetric analysis

2. Metals-Determination


K. K.


Card 2/2


JW/RM 44631-66 33P(3) SCURCE CODE: CZ/0043/66/000/002/0115/0123 ACC NR: AP6033250 44 AUTHOR: Konigstein, Jozef--Kenigshtayn, Y. (Graudate chemist; Bratislava); Stankoviansky, Samo--Stankovianski, S. (Professor; Engineer; Bratislava); Herkelova, Maria-Gerkeleva, M. (Graduate chemist; Bratislava) ORG: [Konigstein; Herkelova] Institute of Chemistry, SAV, Bratislava (Chemicky ustav SAV); [Stankoviansky] Department of Analytical Chemistry, Faculty of Natural Sciences, Comenius University, Bratislava (Katedra analytickej chemie Prirodovedeckej fakulty Univerzity Komenskeho) TITIE: Polarographic study of the formation of mercuric ion complexes with the mesoand racemic forms of 2,3-diaminobutane / SOURCE: Chemicke zvesti, no. 2, 1966, 115-123
TOPIC TAGS: polarographic analysis, organomercury compound, chemical stability, amine
ABSTRACT: The authors derived theoretical equations for the calculation of the complexity constant of the complexes that the mercuric ion forms with substances of the complexon type, where the ratio of the mercuric ion to the ligand is 1:2. The dissociation constants for the amines were determined experimentally by potentiometric methods. When the stability of the amine complexes is compared to that of complexes formed with tetraacetic acid, it is found that the meso-form gives a more stable amine complex, while the racemic form gives a more stable tetraacetic acid complex. Structural formulas of the complexes are suggested.

Orig. art. has: 4 figures, 9 formulas and 1 table. [JPRS: 36,002]

SUB CODE: 07 / SUBM DATE: 050ct65 / ORIG REF: 009 Card 1/1







STANKOVIANSKY, S.; PODANY, V.

"Polarographic determination of bi- and trivalent iron in wine; polarographic control of the ferrocyanide treatment."

p. 433 (Acta, Vol. 1, no.10, 1957, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, no. 9, September 1958

Application of the chromato-polarographic method to the analysis of inorganic substances. I-IV. Acta r nat Univ Com 3 no.2/3: 59-97 '59. (EEAI 10:5) (Chromatography) (Polarograph and polarography) (Inorganic compounds)

STANKOVIANSKY, S.

8th Mendeleev Congress of General and Applied Chemistry in Moscow. p. 385.

CHEMICKE ZVESTI. (Journal on applied chemistry issued by the Slovak Academy of Sciences and the Slovak Chemical Society. Monthly)
Bratislava, Czechoslovakia, Vol. 13, No. 7/8, July/Aug., 1959.

Monthly List of East European Accessions, (EEAI), LC, Vol. 8, No. 12, Dec. 1959.

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652910006-1"

STANKOVIANSKY, S.; PODANY, V.; KALUSOVA, A.

Polarographic behavior of gold, palladium, and platinum in the solution of ethylenediamine citrate. Coll Cz Chem 25 no.12:3173-3178 D '60. (KEAI 10:9)

1. Institut fur analytische Chemie, Naturwissenschaftliche Fakultat, Komensky-Universitat, Bratislava.

(Polarograph and polarography) (Gold) (Palladium) (Platinum) (Citrates) (Ethylenediamine)

STANKOVIANSKY, Samo, prof., inz. (Bratislava, Smeralova 2)

Reaction of (NH_{μ})₂SO₃ and NH_{μ}HSO₃ with the formaldehyde. Chem zvesti 16 no.3:210-216 Mr ¹62

 Katedra analytickej chemie Prirodovedeckej fakulty Univerzity Komenskeho, Bratislava.

STANKOVIANSKY, Samo, prof., inz.; RUSINA, Rudolf, inz., C.Sc.; SZABADOSOVA, Katarina, promovana chemicka

Polarographic examination of isothiocyanates nonsoluble in water (I). A. -naphtylisothiocyanates and -naphtylisothiocyanates. Chem. zvesti 16 no.8:625-632 Ag '62.

1. Katedra analytickej chemie, Prirodovedecka fakulta University Kemenskeho, Bratislava, Smeralova 2.

STANKOVIANSKY, S.; KONIGSTEIN, J.

Polarographic determination of complex constants of mercury compounds with some new complexbuilding substances. Coll Cz Chem 27 no.8:1997-2001 Ag '62.

1. Komensky-Universitat, Bratislava.

STANKOVIANSKY, S.; RUSINA, R.; FAITHOVA, E.

Examination of the complex formation of copper with ethylenediamine. Pts. 1-2. Acta r nat Univ Com 4 no.11/12:645-665 '60 [publ. '61].

1. Katedra analytickej chemie, Universita Komenskeho, Speralova, 2.

RUSINA, R. [deceased]; CTANKONIANSKY, Samo, prof., inz.; SZABADCSOVA, Katarina, promovana chemicka

Polarographic examination of isothiccyanates nonsoluble in water. Pt. 2. Chem zvesti 17 no.5:300-306 63.

l. Katedra analytickej chemie, Prirodovedecka fakulta University Komenskeho, Bratislava, Smeralova 2.

"APPROVED FOR RELEASE: 08/25/2000

at the Comonius University.

CIA-RDP86-00513R001652910006-1

z/0043/63/000/006/0411/0417 17202-63 BDS ESD-3 RM ACCESSION NR: AP3003058 HILL AUTHOR: Stankoviansky, S.; Carsky, J.; Halada, S. TITLE: Chelates of resorcylidine-4-phenylthiosemicarbazone SOURCE: Chemicke zvesti, No. 6, 1963, 411-417 TOPIC TAGS: Resorcylidine-4-phenylthiosemicarbazone preparation, metal salt, Cu, Co, Pb, Cd, Ni, chelate ABSTRACT: Resorcylidine-4-phenylthiosemicarbazone, prepared from resorcinaldehyde and phenylthiosemicarbazide reacts with metal salts as a mono- or dibasic acid. Preparation of salts of Co, Pb, Cd, Cu, and Ni is described. Theoretical and actually obtained analyses are compared. Co yields 2 chelates; one is neutral and one anionic. Pb shows a coordination number of 3; the 4th bond, that would be attached to a water molecule could not be proved, as it was not possible to obtain a hydrate. Cd shows similar structure, but the 4th bond is attached to a water molecule which, however, is easily removable by drying. Cu and Ni complexes show the 4th bond attached to ammonia and pyridine, respectively. Orig. art. has: 8 formulas. ASSN: Chair of Analytical Chemistry of the Faculty of Natural Sciences

STANKOVIANSKY, S.; RUSINA, R.; JANTULOVA, A.

Polarometric determination of cobalt, nickel, and copper with -resorcylidenthiosemicarbazone. Acta r nat Univ Com 7 no.10:535-544 '63.

1. Katedra analytickej chemie, Univerzita Komenskeho, Bratislava, Smeralova 2.

STANKOVIANSKY, Samo, prof., inz., BIELY, Peter, prom. chamik

Microdetermination of fluorides in urine with the aid of the wet-process mineralization. Chem zvesti 19 no.4:272-280 '65.

1. Chair of Analytical Chemistry of the Faculty of Natural Sciences of Komensky University, Bratislava, Smeralova 2.
2. Editorial Board "Fer, "Chemicke zvesti" (for Stankoviansky). Submitted June 10, 1964.

STANKOVIANSKY, Samo, prof. inz.

"Quantitative chemistry" by J.Waser. Reviewed by S.Stankoviansky. Chem zvesti 19 no.4:324-325 '65.


1. Chair of Analytical Chemistry of the Faculty of Natural Sciences of Komensky University, Bratislava, Smeralova 2, and Editorial Board Member, "Chemicke zvesti."

STANKOVIANSKII E. KOVAROVA, H., MADAJOVA, V.

S'mdy of reactions of some derivatives of 1,3 indandione with regard to their analytical use. Pt.1. Acta r nat Univ Com 9 no.5:273-284 '65.

1. Chair of Analytical Chemistry of the Faculty of Natural Sciences of Comenius University, Bratislava. Submitted December 20, 1963.

SOURCE CODE: CZ/0043/65/000/004/0272/0280 L 10828-66 ACC NR: AP6004441 AUTHOR: Stankoviansky, Samo-Stankovianski, S. (Professor; Engineer); Biely, Peter (Graduate chemist) ORG: Department of Analytical Chemistry, Faculty of Natural Sciences, Comenius University, Bratislava (Katedra analytickej chemie Prirodovedeckej fakulty Univerzity Komenskeho) TITLE: Microdetermination of fluorides in urine using mineralization in solution SOURCE: Chemicke zvesti, no. 4, 1965, 272-280 TOPIC TAGS: microchemical analysis, fluoride, solution property, excretion, biochemistry The mineralization is achieved with 70-72% perchloric acid: 2 volumes of this acid to 1 volume of urine are used. The acid is first heated to 200-205°C and urine added at such a rate ABSTRACT: that the temperature does not drop below 195°C. The distilling HF is absorbed in NaOH and determined by back titration. The method is faster than concentrating urine and oxidizing the dry residue. In 10 ml of urine a concentration of 1 mg of F per liter may be determined with an accuracy of 4.8%. Orig. art. has: 2 figures and 3 tables. /JPRS/ SUB CODE: 07, 06 / SUBM DATE: 10Jun64 / ORIG REF: 002 / OTH REF': SOV REF: 001



STANKOVIC, A.

"A Contribution To The Study Of The Interrelation Of Pollination In Pears" p. 149.

(Arhiv Za Poljoprivredne Nauke, Vol. 5, no. 8, 1952, Beograd.)

East European Vol. 3, No. 2,
SO: Monthly List of Accessions, Library of Congress, February, 1954 1963, Uncl.

STANKOVIC. A.

Texaphene, an insecticide unharmful to honeybees. p. 45 (GLASNIK, No. 3, 1956 (Published 1957)

SO: Monthly List of East European Accessions (EEAL) LC Vol. 6, No. 12, Dec. 1957 Uncl.

STANKOVICH,

Category: Serbo-Croatia (Jugoslavia)/General Division.

Congresses. Meetings. Conferences.

A-4

Abs Jour: Referat Zh.-Biol., No 6, 25 March, 1957, 21367

Author : Stankovich, A. Ostroiich, N.

: not given Inst

: European Conference on Problem of Plant Protection in Title

Luxembourg.

Orig Pub: Zashtita bila, 1956, 33, 108-110

Abstract: The conference was held from September 6 to 10, 1955; 350 people were present; 14 sections participated: on

toxicology, phytopharmaceutical production, terminology, standardization of biological methods, in fungicide investigation, insecticides, rodenticides, section on biometry, and others. Special attention was aroused by Professor Trakhaut's report on investigation of factors causing

plant cancer and on measures for combating them.

: 1/1 Card

-22-

STANKOUTE, A.

YUGOSLAVIA/General and Special Zoology. Insects. Injurious P Insects and Ticks. Pests of Fruit and Berry Crops

Abs Jour : Rof Zhur - Biol., No 11, 1958, No 49692

: Stankovic A., Dokmanovic S. Author

Inst

: An Experiment in theControl of the Larvac of Leaf-Horned Beetles on Sandy Soils of the Region of Title

Sovernaya Bachka (Yugoslavia)

Orig Pub: Zashtita bil'a, 1956, No 36, 53-58

Abstract: In 1955, on an area of 8 ha, an experiment was conducted in the control of larvae of leaf-horned

bootles Polyphylla fullo, Anoxia orientalis, and Anomala dubia var. acnea, which highly damage the young vineyards. At the planting of grape stalks, 75,140,195 and 260 ng of the gamma-isomer of hexachlorecyclohexane (HCCH) and 1,1.5,2 and 3

g of the technical HCCH were used in one hole.

: 1/2 Card

83

YUGOSLAVIA / Farm Animals. Honey Bee

Q-7

Abs Jour: Ref Zhur-Biol., No 3, 1958, 12212

Author

: .Stankovich Aleksandr

Inst Title

: Toxicity of Phytopharmaceutical Preparations to

Bees (Toksichnost' fitofarmatsevticheskikh prepara-

tov dlya pchel)

Orig Pub: Napr. pchelarstvo, 1957, 14, No 1-2, 38-41

Abstract: The studies conducted by the Belgrade Institute for the Protection of Plants showed that all chlorinated carbohydrates with the exception of toxaphene, are highly toxic to bees. Chlordan, heptachlor, aldrin, endrin, isodrin and dieldrin cause death of the bees 5-6 hours following contact, and DDT after 18-24 hours. Phosphoro-organic and thiophosphoric compounds are also highly toxic. However, the plants

Card 1/2

STANKOVIC, Branko

Some experience with "Aktivin," an unrusting preparation. Brodogradnja 6 no.4:163-165 *55.

STANKOVIC, B.

Yugoslavia (430)

Technology

Some observations on the problem of specifications and markings of steel. p. 37, STANDARDIZACIJA, Vol. 1, no. 2, Sept. 1950.

East European Accessions List, Library of Contress, Vol. 1, no. 14, Dec. 1952. UNCLASSIFIED.

heating of the subcommitte on welding. p. 80. (STATELPEZACIDA, No. 5, may 130h, desgrad, Tugoslavia)

So: Lontaly list of must European Accessions, (SEAL), L., Vol. 4, no. 1 dan. 1955, Uncl.

ST. RO/10, 0.

"A function of operat onal calculus. p. 75, (FUBLICATIONS, Vol. 6, 1954, Beograd, Yugoslavia)

SU: Foothly List of East European Accessions, (EEAL), LC, Vol. 4, No. 4, Mapr 1950, Uncl.

STANKOVIC, B.

Inversion and invariants of Hankel's generalized transformation. In French. p. 37


Srpska akademija nauka. Matematicki institut. PUBLICATIONS. Beograd, Yugoslavia. Vol. 8, 1955

NOS

Monthly list of East European Accessions (EEAI) LC, Vol. 8,/1959

Uncl.

- Stankov	ic Bogolgub	
	Stanković, Bogoliub. Sur une classe d'équations intégrales singulières. Srpska Akad. Nauka. Zb. Rad. 43. Mat. Inst. 4 (1955), 81–130. (Serbo-Croatian. French summary) The solution of the integral equation. $\int_0^\infty e^{-sx}K(x,t)dx=s^\mu e^{-ts}$ is given, where $K(x,t)=K_{\mu,\nu}(x,t)=x^{-\mu-1}\Phi(-\mu,-\nu;-tx^{-\nu}),$ and $\Phi(\beta,\varrho;z)$ is Wright's function which is a generalization of a Bessel function [E. M. Wright, J. London Math. Soc. 8 (1933), 71–88]. The functional transformation $P_\nu(\sigma,f)=\int_0^\infty F_\nu(\sigma/x^{1/\nu})f(x)\frac{dx}{vx}$	1-F/W
	is studied, where $F_*(\sigma/x^{1/r}) = xK_0$, $f(x,t)$. An elegant derivation of the solution of the functional equation $g(x) = \lambda \varphi(x^n)$ is given. The paper concludes with applications of the results to a problem in physics, and with the derivation of certain relations between the Laplace transformation and Wright's function mentioned above. H. P. Thielman (Ames, Iowa).	- mills



STANKOVIC. B


Publication of standards for standard numbers. p. 223.

STANDARDIZACIJA. (Savezna komisija za standardizaciju) Beograd.

Vol. 6, No. 6, June 1956.

SOURCE: East European List (EEAL) Library of Congress, Vol. 6, No. 1, January 1957

2. 日本主義的政治。60.1 7.1 《北美汉》,李明明李明等	en e	ali maran da arawa ka ka a kataba a arawa ka ka	PARTE
STANKOVIC			
	Stanković, Bogol b. Inversion	Fune fransformedon Line Maria 10 (1936) T-F\W	
	$\Phi(\mu, -\nu; z) = \sum_{k=0}^{\infty} \frac{z^k}{\Gamma(k+1)\Gamma(\mu-1)}$ His method depends on direct us equation satisfied by the kernel.	$\frac{1}{ E_{T} }$, $0 < z < 1$. See of the differential R P $Box S$, f_{T}	
		STEER STEER	



STREETONIC, B.

S. C. Neijer's invariants of integral transformation. In French. p. 53.

Srpska akademija nauka. Matematicki institut. PUBLICATIONS. Peograd, Yugoslavia. Vol. 12, 1958.

Monthly list of East European Accessions (ZEAI) LC, Vol. 8, no. 8, Aug. 1959. Uncl.

TRESTRIBUTED TO THE HILLIANS OF	(株式など ASA)	
		7
	s/044/62/000/009/02 до60/до00	2/069
AUTHOR:	Stanković, B. On a system of dual integral equations On a system of dual integral equations)B257
TITLE:	On a system of dual integral equations On a system of dual integral equations Referativnyy zhurnal, Matematika, no. 9, 1962, 54, abstract of the system of dual integral equations ("Publis. Inst. math. Acad. sebre sci.", 1959, v. 13, 95 - 116 ("Publis. Inst. math. Acad. sebre sci.", 1962, 54, abstract of the system of dual integral equations	
PERIODICAL:	("Publs. Inst. math. Acad. scars")	al equa-
•	("Publs. Inst. math. Acad. French) An effective solution is given for the system of dual integr	
TEXT: tions	An error \dot{x} \dot{y} \dot{y} $0 < y < 1$	
	An effective solution $\Delta x = \mu$ (y), $0 < y < 1$, $\int_{-\infty}^{\infty} J_{y}(yx) x^{\alpha} f(x) dx = \mu$ (y), $0 < y < 1$,	(1)
	$ \begin{pmatrix} 0 \\ 0 \\ J_{y} (yx) f(x) dx = y(y), y > 1 \end{pmatrix} $	
	J, (yx) f (x) dx -	
a and uno	on theorem 1: Let a function u (y) admit of a representation	
card 1/3		

S/044/62/000/009/022/069 A060/A000

On a system of dual integral equations

$$u(y) = y^{\lambda} [\delta + \varepsilon(y)],$$

where $y^{2\nu} \in (y)$ is a function continuous at the point y = 0, equal to zero at y = 0 and satisfying the condition $[y^{2\nu} \in (y)]^{(1)} = 0$ $(y^{\omega-1})$ as $y \to 0$, where y = 1, and $y \to 1$, and $y \to 1$, $y \to 1$, $y \to 1$, and $y \to 1$, $y \to 1$, $y \to 1$, where integral converges:

$$\int_{0}^{\infty} J_{y} (yx) x^{-\alpha/2} dx \int_{0}^{1} A (t) \sqrt{t} J_{y+\alpha/2+1} (tx) dt,$$

where

A (x) =
$$\frac{x^{3+\alpha/2+1/2}}{2^{\alpha/2} \Gamma(\alpha/2+1)} \cdot \frac{d}{dx} x^{-23-\alpha} \int_{0}^{x} \frac{[t^{2\sqrt{\xi}}(t)]!}{(x^2-t^2)^{-\alpha/2}} dt$$
,

then


$$f(x) = x^{-\alpha/2} \int_{0}^{1} A(t) \sqrt{t} J_{y+\alpha/2+1}(tx) dt - \Omega J_{x/2+1}(x)$$

Card 2/3

STANKOVIC, B. (Novi Sad)

The invariants of the Fourier transformation. Ves mat fiz Srb no.12:3-12 '60.

	STANKO	VIC, B.				-2 04	1 3 TC T	÷	
-		Certain none	quations on a	a lattice (62].	group.	GIAS SI	INC		
	1.1								
						÷			
								•	
							•	•	
			e e e e e e e e e e e e e e e e e e e						



HOJMAN, Johanda, STANKOVIO, Branislava, DUSID. Zirka, Marchica, Vera

Spectrophotometric study of the from (III) complex with
mandelhydroxamic acid. Glar Nem ir 18 no.5/6 265-279 163.

1. Institute of Inorganic and Analytic Chemistry of the
Pharmacoutical Faculty, Bolgrade. Submitted & vemt.: 6, 1903.

YUGOSLAVIA

R. NIKOLIC, C. STANKOVIC and S. LUKIC [Affiliation not given]

"Histomoniasis at the Petrovac Turkey Farm."

Belgrade, Veterinarski Glasnik, Vol 17, No 2, 1963; pp 159-161.

Abstract: Outbreak of histomoniasis meleagridis in August 1961 at the cooperative poultry farm housing about 6000 birds. Necropsies confirmed diagnosis. Phenothiazine-nicotine (against Heterakis gallinae) in feed and Enheptin in water brought about recovery. Other measures included transfer of all hens (gallinae.) When slaughtered later, 30% of all birds had cecal signs of histomoniasis. No outbreak so far in 1962.

1/1

37

YUGOSLAVIA

S. LUKIC, R. NIKOLIC and C. STANKOVIC [Affiliation not given]

"Incubation of Turkey Eggs at the Petrovac Farm."

Belgrade, Veterinarski Glasnik, Vol 17, No 2, 1963; pp 163-164.

Abstract: Only around 50% of the eggs put into the incubator eventually hatched out of a total of 6 batches and 16000 eggs. problems are detailed study and appropriate measures removing difficulties newly hatched birds seem to have in getting out of their shells. Other desiderata are artificial insemination and stress on early (April - May) laying.

1/1

"Epizootic of Feather Pecking at a Turkey Farm."

APPROVED FOR RELEASE: 08/25/2000d ba@APROPES-00512R001652940006-1"

Abstract: Outbreak of Pecking 2000d ba@RAPROPES-00512R001652940006-1"

birds, causing many subsequent wounds, infections; some the contributing conditions was considered to be overcrowding. No the contributing conditions was considered to be overcrowding. No ectoparasites could be found. Feed was poor. When housing and feed were improved, the phenomenon stopped.

ARNOVIJEVIC, V.; SAHOVIC, K.; STANKOVIC, D.; ANAF, M.

Distribution of radiophosphorus in organs of hypophysectomized and adrenal ectomized rats. Glas srpske akad. nauka, odelj med. 211 no.7:1-9 1953.

1. Primljeno na XIV skupu Odelj. med. anuka od 30 IX 1952 god.

(PHOSPHORUS, radioactive
distribution in adrenalectomized & hypophysectomized rats)

(PITUITARY GLAND, eff. of excis.
on radiophosphorus distribution in rats)

(ADRENAL GLANDS, eff. of excis.
on radiophosphorus distribution in rats)

STANKOVIC, D.

Modifications of internal milieu in hypothermia in homothermal animal; pH of the blood in dogs in deep hypothermia. Glas srpske akad. nauka, odelj med 211 no.7:69-73 1953.

1. Primljeno na XVIII skupu Odeljenja med. nauka od 18 XII 1952 god.

(BODY TEMPERATURE

hypothermia, exper., eff. on pH of blood in dogs)

(HYDROGEN ION CONCENTRATION

of blood, eff. of exper. hypothermia in dogs)

(BLOOD

pH, eff. of exper. hypothermia in dogs)

STANKOVIC, D.; RAMADANOVIC, D.; PLACASEVA, T.

Effect of vitamin C on physical work in hot environment, I. Vitamin
C level in blood in workers exposed to heat. Arh. hig. rada 5 no.

2:185-192 1954.

1. Higijenski zavod, Sarajevo, Radnja primljena 16.111.1954.

(VITAMIN C, in blood
in workers exposed to heat)

(HEAT, eff.
on witamin c in blood in workers exposed to heat)
(BLOOD
witamin C, in workers exposed to heat)

STANKOVIC, Dragomir, doc, dr.

A case of chronic saturism after the intake of large quantities of drinking alcohol. Glas. hig. inst. 10 no.3/4:41-48 J1-D '61.

1. Centralni higijenski zavod - Sarajevo Odeljenje medicine rada.

(LEAD POISONING case reports)
(ALCOHOLIC INTOXICATION compl)

YUGOSLAVIA

STAJKOVIC, Dr D., Labor Medicine Department (Odeljenje Medicine Rada), CHZ /abbreviation not clarified/, Sarajevo.

"A Contribution to Study of Standard Blood-count Values under Our Circumstances, Liean Values in the Blood Count of Industrial Workers."

Belgrade, Glasnik Zavoda za Zdravstvenu Zastitu NR Srbije, Vol 11, Nos 1-2, 1962, rp 61-71.

Abstract: Author's Serbocroatian summary modified The author lists the mean value of hemograms in certain branches of industry covering 3811 male workers, 321 female workers, and 1650 apprentices (including boys and girls workers, and 1650 apprentices (including boys and girls both). The mean value of the red blood cells and nemoglobin is substantially lower than that cited by foreign authors. There is considerable lymphocytosis and a slight reduction in the number of polymorphonuclear leukocytes in comparison with foreign works. The blood count of the Yugoslav population should be thoroughly studied as soon as 1/1/possible for use in diagnosis. Soviet, Western refs.

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652910006-1"

10

STANKOVIC, D., doc., dr.; BEUC, M., dr.; RADONIC, S., dr.

Contribution to the study of Kienboeck's disease. Med. arh. 16 no.2: 19-26 162.

(OSTEOCHONDRITIS case reports)
(SEMILUNAR BONE dis)

5

STANKOVIC, D., dr.; SAVICEVIC, M., dr.; PETROVIC, Lj., dr.

Contribution to the study on the influence of manganese units on the value of hemograms. Med. arh. 16 no.2:79-84 62.

(BLOOD CELLS pharmacol) (MANGANESE pharmacol)

_

STANKOVIC, D., doc. dr.

A critical review of laboratory methods in the diagnosis of early lead poisoning. Med. arh. 16 no.6:51-57 N-D '62. (LEAD POISONING)

YUGOSLAVIA

Docent Dr D. STANKOVIC, Department of Occupational Medicine (Odeljenje medicine rada, Central Hygiene Institute (Centralni higijenski zavod), Sarajevo.

"Plagnostic Value of Laboratory Tosts in Detecting Early Stages of Lead Intoxication."

Belgrade, Medicinski Glasnik, Vol 16, No 9, Sept 1962; pp 407-409.

Abstract [French summary modified]: Hematologic Laboratory data in 67 workers exposed to lead fimes while working with lead batteries were compared with data from several thousand industrial workers. Results are tabulated: erythrocytea, reticulocytes, ratio of basophilatippled erythrocytes and of non-segmented leukocytes all showed highly significant differences (p=0.001 by Student t test); hemoglobin significant (0.05), monocytes also (0.055); no differences in WEC, degmented UEC, lymphocytes, eosinophils or basophils. Twelve tables, 4 Western and 7 Yugoslav references.

1./1.

YUGO SLAVIA

STINKEVIC, Bragomir, of the Public Health Institute (Zavod Zu Edravatvenu Zostitu) of Besnia and Hersegovina, Sarajeve.

"A Contribution to Knowledge of the Evolution of Early Clinic Munifestations of Lead Folconing."

Bolgrode, depokt Arbiv ze Calekuano Lakaustvo. Vol 90, 90 10, Cesamoar 1960, so 1141-1149.

Abstract: Author's French summary modified? The author reports on a group of 67 versers in a high furnace who were affected by an epidemic of load potential. An inverse affected by an epidemic of load potential. An inverse a in the number of residulocytes appeared to be one of the erilisat signs of lead potential. There were significant foviations from normal values in the erythropites, nificant foviations from normal values in the erythropites, nationally anythropytes, reticulocytes, and correctly rine pascibils anythropytes, reticulocytes, and correctly rine after the absorption stays but before the chast of clinical interior blood procure prior to the onset of clinical intertection blood procure prior to the onset of clinical intertection blood procure prior to the onset of clinical intertection. Humarcus tables and references.

BTARROVID, D.; KAMIA, F.: A. F. W. F. W. S.; FOCO, S.

Hearing disorders for wing repeated cartem comoxide poisming. Acta med. Jugosi. 18 no.2:95-106 161

1. Institut za patriosku fiziologija i Institut za higijemu i socijalnu medicinu, Medizinskog fakulteta u Sarajeva.

STANKOVIC, D.; BRKOVIC-POPOVIC, I.

Effect of manganese ore dust on functioning of the thyroid gland in miners. Med. arh. 18 no.1:39-45 Ja-F '64.

ANTONOVIC, Milan; STANKOVIC, Dragica; MILOVANOVIC, Mirko

Nonspecific recurrent erythema nodosum in a tuberculous patient. Tuberkuloza 17 no.3:212-215 My-Je '65.

1. Vojni institut za TBC, Beograd (Nacelnik: prof. dr. Mirko Tucakovic).

		FA 70 T6 6	
TANECVIC, D.			
	USSR/Medicine - Botany Peb 1948 Medicine - Apples		
	"Review of S. P. Kedrin's Book, 'Parallelism of Variability Due to Similar Conditions of Growth'," D. Stankovic, 2 pp		
	"Nauka i Tehnika" No 2		
	Kedrin studied several types of apple trees of the Volga region: noted parallel changes in shape and color of fruit from different varieties of trees.		
	70x56		
		·	

STANKOVIC. D.

*How new kinds of fruit trees are developed." p. 15. (Nauka I Priroda. Vol. 4, no.1, 1951, Beograd.)

SO: Monthly List of East European Accession, Vol. 3, No. 6, Library of Congress, Feb. 1954, Uncl.

YUGOSLAVIA / Cultivated Plants. Fruit Trees. Small Fruit Trees.

M-7

Abs Jour: Ref Zhur-Biol., 1958, No 16, 73105.

Author : Stankovic, Dusan,

: New Classification of Productivity of Fruit Trees. Inst Title

Orig Pub: Glasnik biol. sek. Hrvatsko prirodosl. drustvo, 1953 (1955), Ser. 2B, 7, 328-329.

Abstract: Classification of the degree of productivity of fruit trees according to Kobel' and Gardner has

serious drawbacks. The author preposes a new classification based on the natural properties of the plants. Brought out are: I. Reasons for bad harvest yield due to the inability of the fruit trees to form blossoms: 1) biological - a) owing to fact that

tree is in the first phases of development, b) young

Card 1/2

STANKOVIC, D

"Most Recent Methods For Preventing the Spoiling of Plant Products", p. 261 (NAUKA I PRIRODA) (Vol. 6, No. 6, 1953 , Beograd, Yugoslavia)

SO: Monthly List of East European Accessions L. C. Vol. 3, No. 4, April 1954

STANKOVIC, D.

STANKO.IC, D. Nuclear energy and the possibility of its use in agriculture sciences. p. 1.

Vol. 3, no. 7/8, July/Aug. 1955 POLJOPRIVREDA Beograd, Yugoslavia

So: Eastern European Accession Vol. 5 No. 4 April 1956

COUNTRY

: YUGOSLAVIA

DATES ORY

: General Biology.

Genetics. Plant Genetics.

APS. JOUR.

: RZhBiol., No. 5, 1959, No. 19142

AUTHOR _. 3T.

: Stankovic, D. Yuroslavian AS.

TIPLE

: A New Method Suggested for the Breeding of Pruit Trees Resistant to Virus Diseases.

orne. FUB.

: Bull. scient. Conseil acad. RPFY, 1956, 3,

No 2, 52

ADSTRACT

: It is suggested that processing of male and female gamets by nucleic acids should be tried prior to their syngamy in the course of fertilization of young corcules and young fruit trees in order to obtain strains of fruit trees hereditary registant to virus diseases. It is suggested that the processing should be carried

В

out by way of injections or by submerging the above mentioned organs into nucleic acids.

-- L. I. Lipayeva

CARD:

1/1

33

STANKOVIC, DUSAN M.

Savremeno vocarstvo.

Beograd, Yugoslavia. Zadruzna knjiga, 1958. 356 p.

Monthly List of East European Accession (EEA1) LC, Vol. 8, no. 6 June 1959 Uncl.

YUGOSLAVIA / Chemical Technology. Chemical Products. H Food Industry.

Abs Jour: Ref Zhur-Khimiya, 1958, No 20, 69031.

Author : Stankovic D. : Not given.

Inst : Preservation of Fruits and Vegetables in the Title

United States

Orig Pub: Tehnika, 1958, 13, No 2, Prehran. ind. 12, No 2, 26-28.

Abstract: No abstract.

Card 1/1

MILIVOJEVIC, Miodrag, ing. (Beograd); STANKOVIC, Dusan, ing. (Beograd)

Labor productivity in experiments with high-yielding wheat in 1958-1959. Produktivnost 3 no.3:187-200 Mr ¹61.

STANKOVIC, Dusan, dr., ing., prof. (Beograd, Sanje Zivanovica 12)

Present state and prospects of radiotechnology. Tehnika Jug 17 no.1: 137-145 Ja 162.

1. Faculty of Agriculture of the University of Beograd.

(Technology) (Radiation)

RUZDIC, N.; HADZISELIMOVIC, H.; STANKOVIC, D.

Osseous changes of extremities in miners using vibrating tools. Med. arh. 18 no.2; 37-46 Mr-Je 164.

l. Institut za anatomiju i Institut za patofiziologiju Medicinskog fakulteta u Sarajevu.

STANKOVIC, I.; LITRICIN, O.

The fate of transplantate in keratoplasty. Acta med. iugosl. 8 no.3:315-321 1954.

1. Ocna klinika Medicinskog fakulteta u Beogradu. (CORNEAL TRANSPLANTATION lamellar graft)

Ocular syndrome in chronic rheumatism in children. Srp arhiv lekar 82 no.4:502-509 Ap '54. (REAL 3:7)

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu, Upravnik: prof. dr. Djordje Nesic. (Rad je Urednistvo primilo 30-IX-1953 god.)

(ETE, in various dis. (RHEUMATISM, manifest. *rheum., in child.)

*eye, in child.)

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652910006-1"

证据基础

STANKOVIC. Ivan, asist. dr.; PISTELJIC, Dusan, dr.

The syndrome of edematous noutitis of the optic nerve. Srpski arh. celok. lek. 82 no.6:758-764 June 54.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu, upravnik prof. dr. Djordje Nesic. (Rad je urednistvo primilo 28. XI.1953 god) (NERVES, OPTIC, dis. neutitis, edematous)

```
Changes in the fundus oculi in heart diseases. Med.glasn. 9 no. 6:203-209 June '55.

1. Ocna klinika Medicinskog fakulteta u Beogradu (upravnik prof. D.P. Nesic)

(NYE,
fundus, in heart dis.)
(HEART DISEASES, manifestations,
eye fundus)
```

What can be expected from corneal grafting - keratoplasty.

Med. glasn. 9 nc.7-8:275-278 July-Aug 55.

1. Ocna klinika Medicinskog fakulteta u Beogradu. Upravnik:
prof. dr. Djordje M.Resic.

(CORNEAL TRANSPLANTATION,
indic. & technic (Ser))

The problem of the biology of primary introacular tumors. Srpski arh.celok.lek. 83 no.1:76-81 Jan '55. 1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu. Upravnik: prof. dr Djordje Nesic. (EYE, neoplasms primary develop., biol. factors in (Ser))

STANKOVIC, Ivan; MILOSAVIJEVIC, Igor

The problem of horizontal hemianopias. Srpski arh. celok. lek. 83 no.5-6:629-637 May-June 55.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu. Upravnik: Djordje Nesic. Neuropsihijatrijska klinika Medicinskog fakulteta u Beogradu. Upravnik: Uros, Jekic. (HEMIANOPIA,

horizontal, need for surg. (Ser))

STANKOVIC, M.; STANKOVIC, I.

First results of lamellar resection of sclera in the treatment of retinal detachment. Srpski arh. celok. lek. 83 no.7-8:809-815 July-Aug 55.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu.
Upravnik: Djordje P. Nesic.
(RETINAL DETACHMENT, surg.
lamellar resection of sclera, value (Ser))

STANKOVIC, Ivan

First school for children with weak eye-sight in our country.

Srpski arh. celok. lek. 83 no.10:1178-1182 Oct 55.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu.

V.d. upravnika: doc. dr. Ivan Stankovic.

(AMBLYOPIC, in inf. & child,
 school for child. with amblyopia in Yugosl. (Ser))

(SCHOOLS,
 for child, with amblyopia in Yugosl. (Ser))

STANKOVIC, Ivan; KECMANOVIC, Zlatimir


Significance of the false syndrome of papilledema of the optic nerve. Srpski arh. celok. lek. 83 no.11:1264-1268

Nov 55.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu.

Upravnik: prof. dr. Djordje Nesic.

(NERVES, OPFIC, dis.
papilledema, spurious, diag. (Ser))



STANKOVIC, I.; KECMANOVIC, Z.

Electric cataract as an occupational disease. Arh. hig. rada 7 no.2:97-102 1956.

1. Klinika sa bolesti ociju Medicinskog fakulteta Universiteta u Beogradu.
(OCCUPATIONAL DISEASES cataract caused by inj. with electric current (Ser))
(CATARACT, etiol. & pathogen.
inj. with electric current in workers (Ser))

JANKOVIC, B. D.; STANKOVIC, I.

Sympathetic ophtalmia: an auto-immune disorder. Acta med. iugosl. 10 no.2:232-242 1956.

1. Microbiological Institute, Pharmaceutical Faculty and Ophthalmological Clinic, Medical Faculty, University of Belgrade. (OPHTHALMIA SYMPATHETIC, etiol. & pathogen. auto-immunization)

STANKOVIC, I.

Substitution of the cornea (Veratoplasty) as a biological problem. Acta med. iugosl. 10 no.2:258-269 1956.

 Ophtalmological Clinic, Medical Faculty, University of Belgrade. (CORNEAL TRANSPLANTATION, biol. & biochem. aspects)

```
STANKOVIC, Ivan; KECMANOVIC, Zlatimir

Effect of quinine poisoning on eye. Srpski arh. celok. lek.
84 no.6:741-746 June 56.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu
V. d. upravnika: docent dr. Ivan Stankovic.

(QUININE, inj. eff.

eye (Ser))

(EYE, eff. of drugs on
quinine (Ser))
```

STANKOVIC, Iyan; KECMANOVIC, Zlatimir

中心、强强。

Diagnosis of anomalies of the optic nerve. Srpski arh. celok. lek. 84 no.7-8:855-862 July-Aug 56.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu.


V. d. upravnika: doc. dr. Ivan Stankovic.
(NERVES, OPTIC, abnormalities,
diag. (Ser))


APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652910006-1"

STANKOVIC, Ivan

Treatment of primary tumors of the orbit. Srpski arh. celok. lek. 94 no.12:1435-1438 Dec 56.

(ORBIT, neoplasms primary, surg. (Ser))





BECIRIC, Todor; STANKOVIC, Ivan

Optochiasmic arachnitis as a clinical and therapeutical problem. Srpski arh. celok. lek. 85 no.2:161-166 Feb 57.

1. Neurohirurska klinika Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Slobodan Kostic. Oftalmološka klinika Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Vladimir Cavka.

(ARACHNOID, dis.

optochiasmic arachnitis (Ser))

MILOSAVLJEVIC, Igor; STANKOVIC, Ivan

Significance of papillary edema of optic nerve in diagnosis and prognosis of closed craniocerebral injuries. Srpski arh. celok. lek. 85 no.3:314-318 Mar 57.

1. Neuropsihijatriska klinika Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Uros Jekic. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Vladimir Cavka. (BRAIN, wds. & inj.

causing papilledema (Ser))

(NERVES, OPTIC, dis.

papilledema caused by brain inj. (Ser))